Author Index

Amey, M., see Reymond, P. 616(1993)221
Andersson, B., see Kussak, A. 616(1993)235
Andersson, K., see Kussak, A. 616(1993)235
Anzion, R. B. M., see Sessink, P. J. M. 616(1993)333
Babalola, C. P., Bolaji, O. O., Dixon, P. A. F. and Ogunbona, F. A.
Column liquid chromatographic analysis of quinine in human plasma, saliva and urine 616(1993)151
Baillet, A., Pianetti, G. A., Taverna, M., Mahuzier, G. and Baylocq-Ferrier, D.
Fosfomycin determination in serum by capillary zone electrophoresis with indirect ultraviolet detection 616(1993)311
Baumann, P., see Reymond, P. 616(1993)221
Baylocq-Ferrier, D., see Baillet, A. 616(1993)311
Berrueta, L. A., Gallo, B. and Vicente, F.
Analysis of oxazepam in urine using solid-phase extraction and high-performance liquid chromatography with fluorescence detection by post-column derivatization 616(1993)344
Berthou, F. and Dréano, Y.
High-performance liquid chromatographic analysis of tamoxifen, toremifene and their major human metabolites 616(1993)117
Betto, P., see Moretti, G. 616(1993)291
Birkett, D. J., see Tassaneeyakul, W. 616(1993)73
Blain, R. W., see Szuna, A. J. 616(1993)297
Boison, J. O., see Nachilobe, P. 616(1993)243
Bolaji, O. O., see Babalola, C. P. 616(1993)151
Borghese, A., see Moretti, G. 616(1993)291
Bos, R. P., see Sessink, P. J. M. 616(1993)333
Botero-Garcés, S., see Múnera-Jaramillo, M. I. 616(1993)349
Boujet, C., see Faure, H. 616(1993)1
Bourquin, D., see Wernly, P. 616(1993)305
Brenneisen, R., see Wernly, P. 616(1993)305
Brewer, T. G., see Marino, M. T. 616(1993)338
Bridonneau, P. and Lederer, F.
Behaviour of human immunoglobulin G subclasses on thiophilic gels: comparison with hydrophobic interaction chromatography 616(1993)197
Cadet, J., see Faure, H. 616(1993)1
Cammarata, P., see Moretti, G. 616(1993)291
Canepari, S., Carunchio, V., Girelli, A. M. and Messina, A.
New method for guanase activity measurement by high-performance liquid chromatography 616(1993)25
Carunchio, V., see Canepari, S. 616(1993)25
Cassidy, R. M., see Nachilobe, P. 616(1993)243
Cheul Moon, D., see Lee, K.-J. 616(1993)135
Claus, R., see Dehnhard, M. 616(1993)205
Coutts, R. T., see Freitag, D. G. 616(1993)253
Craft, N. E., see Ma, Y. 616(1993)31
De Felice, C., see Hayakawa, K. 616(1993)327
Dehnhard, M., Claus, R., Hillenbrand, M. and Herzog, A.
High-performance liquid chromatographic method for the determination of 3-methylindole (skatole) and indole in adipose tissue of pigs 616(1993)205
Delgado, M., see Liu, H. 616(1993)105
Desiderio, D. M., see Zhu, X. 616(1993)175
Dixon, P. A. F., see Babalola, C. P. 616(1993)151
Dréano, Y., see Berthou, F. 616(1993)117
Drelon, E., see Muller, N. 616(1993)261
Ducros, V., see Faure, H. 616(1993)1
Eadie, M. J., see Schramm, T. M. 616(1993)39
Eap, C. B., see Reymond, P. 616(1993)221
Eggers, C. M., see Liu, H. 616(1993)105
Faure, H., Incardona, M.-F., Boujet, C., Cadet, J., Ducros, V. and Favier, A.
Gas chromatographic–mass spectrometric determination of 5-hydroxymethyluracil in human urine by stable isotope dilution 616(1993)1
Favier, A., see Faure, H. 616(1993)1
Favretto, D., see Romanello, M. 616(1993)167
Fesser, A. C. E., see Nachilobe, P. 616(1993)243
Forman, L. J., see Liu, H. 616(1993)105
Foster, R. T., see Freitag, D. G. 616(1993)253
Fracassi, F., see Moretti, G. 616(1993)291
Freitag, D. G., Foster, R. T., Coutts, R. T. and Pasutto, F. M.
High-performance liquid chromatographic method for resolving the enantiomers of mexiletine and two major metabolites isolated from microbial fermentation media 616(1993)253
Furr, H. C., see Ma, Y. 616(1993)31
Gallo, B., see Berrueta, L. A. 616(1993)344
Giambenedetti, M., see Moretti, G. 616(1993)291
Gillet, P., see Muller, N. 616(1993)261
Girelli, A. M., see Canepari, S. 616(1993)25
Gooderham, N. J., see Murray, S. 616(1993)211
Gorrod, J. W., see Watkins, P. J. 616(1993)79
Grover, P. K., see Paliwal, J. K. 616(1993)155
Gupta, R. C., see Paliwal, J. K. 616(1993)155
Hayakawa, K., De Felice, C., Watanabe, T. and Tanaka, T.
High-recovery protein purification by high-performance gel-permeation chromatography: application to human serum biotinidase 616(1993)327
Heitzmann, T., see Neidlein, R. 616(1993)129
Herzog, A., see Dehnhard, M. 616(1993)205
Hillenbrand, M., see Dehnhard, M. 616(1993)205
Hormazabal, V., Steffenak, I. and Yndestad, M.
Simultaneous determination of residues of florfenicol and the metabolite florfenicol amine in fish tissues by high-performance liquid chromatography 616(1993)160
Hoving, E. B., see Winter, C. H. 616(1993)9
Ikarashi, Y. and Maruyama, Y.
Liquid chromatography with electrochemical detection for quantitation of bound choline liberated by phospholipase D hydrolysis from phospholipids containing choline in rat plasma 616(1993)323
Incardona, M.-F., see Faure, H. 616(1993)1
Jamali, F., see Wright, M. R. 616(1993)59
Jin Lee, J., see Lee, K.-J. 616(1993)135
Kasai, K.
Immobilized affinity ligand techniques (by G. T. Hermanson, A. K. Mallia and P. K. Smith (Book Review) 616(1993)355

Katayama, M. and Taniguchi, H.
Determination of estrogens in plasma by high-performance liquid chromatography after pre-column derivatization with 2-(4-carboxyphenyl)-5,6-dimethylbenzimidazole 616(1993)317
Kato, Y., Shimokawa, M., Yokoyama, T. and Mohri, K.
Simultaneous determination of amfenac sodium and its metabolite (7-benzoyl-2-oxindole) in human plasma by high-performance liquid chromatography 616(1993)67
Kintz, P., see Tracqui, A. 616(1993)95
Knize, M. G., see Murray, S. 616(1993)211
Konrat, H., see Reymond, P. 616(1993)221
Kussak, A., Andersson, B. and Andersson, K.
Automated sample clean-up with solid-phase extraction for the determination of aflatoxins in urine by liquid chromatography 616(1993)235
Lambert, S., see Reymond, P. 616(1993)221
Lammi-Keefe, C., see Ma, Y. 616(1993)31
Lapicque, F., see Muller, N. 616(1993)261
Lederer, F., see Bridonneau, P. 616(1993)197
Lee, K.-J., Suk Heo, G., Jin Lee, J. and Cheul Moon, D.
Determination of tricyclic antidepressants in human plasma by micellar electrokinetic capillary chromatography 616(1993)135
Liu, H., Delgado, M., Forman, L. J., Eggers, C. M. and Montoya, J. L.
Simultaneous determination of carbamazepine, phenytoin, phenobarbital, primidone and their principal metabolites by high-performance liquid chromatography with photodiode-array detection 616(1993)105
Lynch, A. M., see Murray, S. 616(1993)211
Ma, Y., Wu, Z., Furr, H. C., Lammi-Keefe, C. and Craft, N. E.
Fast minimicroassay of serum retinol (vitamin A) by capillary zone electrophoresis with laser-excited fluoresence detection 616(1993)31
Mahuzier, G., see Baillet, A. 616(1993)311
Mandjiny, S. and Vijayalakshmi, M. A.
Quantitation of adsorption capacity of immunoglobulin G on histidine–aminohexyl Sepharose and determination of affinity constant 616(1993)189
Mangin, P., see Tracqui, A. 616(1993)95
Marino, M. T., Peggins, J. O. and Brewer, T. G.
High-performance liquid chromatographic method for the determination of a candidate 8-aminoquinoline antimalarial drug (WR 242511) using oxidative electrochemical detection 616(1993)338
Maruyama, Y., see Ikarashi, Y. 616(1993)323
Matsuura, K. and Takashina, H.
Gas chromatographic–mass spectrometric determination of tiopronin in human blood using acrylic acid esters as a derivatization reagent for the thiol group 616(1993)229
Maurer, H. H.
Toxicological analysis (edited by R. K. Müller) (Book Review) 616(1993)353
McKinnon, G. E., see Schramm, T. M. 616(1993)39
Messina, A., see Canepari, S. 616(1993)25
Michalsky, M., see Romanello, M. 616(1993)167
Mico, B. A., see Szuna, A. J. 616(1993)297
Miller, R. B.
High-performance liquid chromatographic determination of diclofenac in human plasma using automated column switching 616(1993)283
Miners, J. O., see Tassaneeyakul, W. 616(1993)73
Mohri, K., see Kato, Y. 616(1993)67
Monot, C., see Muller, N. 616(1993)261
Montoya, J. L., see Liu, H. 616(1993)105
Moretti, G., Betto, P., Cammarata, P., Fracassi, F., Giambenedetti, M. and Borghese, A.
Determination of thyreostatic residues in cattle plasma by high-performance liquid chromatography with ultraviolet detection 616(1993)291
Moro, L., see Romanello, M. 616(1993)167
Motohashi, M., see Yamashita, K. 616(1993)144
Muller, N., Lapicque, F., Drelon, E., Gillet, P., Monot, C., Poletto, B. and Netter, P.
Direct high-performance liquid chromatographic resolution of the enantiomers of tiaprofenic acid using immobilized human serum albumin 616(1993)261
Mulligan, T. E., see Szuna, A. J. 616(1993)297
Múnera-Jaramillo, M. I. and Botero-Garcés, S.
Determination of tenoxicam in plasma by high-performance liquid chromatography 616(1993)349
Murray, S., Lynch, A. M., Knize, M. G. and Gooderham, N. J.
Quantification of the carcinogens 2-amino-3,8-dimethyl- and 2-amino-3,4,8-trimethylimidazo[4,5-*f*]quinoxaline and 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine in food using a combined assay based on gas chromatography–negative ion mass spectrometry 616(1993)211
Muskiet, F. A. J., see Winter, C. H. 616(1993)9
Nachilobe, P., Boison, J. O., Cassidy, R. M. and Fesser, A. C. E.
Determination of trimethoprim in bovine serum by high-performance liquid chromatography with confirmation by thermospray liquid chromatography–mass spectrometry 616(1993)243
Neidlein, R., Heitzmann, T., Strein, K. and Volland, C.
Conventional and enantioselective determination of a new blood glucose-lowering agent in biological fluids using liquid–liquid extraction and high-performance liquid chromatography 616(1993)129
Netter, P., see Muller, N. 616(1993)261
Ogunbona, F. A., see Babalola, C. P. 616(1993)151
O'Hara, K., see Parker, C. E. 616(1993)45
Paliwal, J. K., Gupta, R. C. and Grover, P. K.
Simultaneous determination of a new antimalarial agent, CDRI compound 80/53, and its metabolite primaquine in serum by high-performance liquid chromatography 616(1993)155
Parker, C. E., Perkins, J. R., Tomer, K. B., Shida, Y. and O'Hara, K.
Nanoscale packed capillary liquid chromatography–electrospray ionization mass spectrometry: analysis of penicillins and cephems 616(1993)45
Pasutto, F. M., see Freitag, D. G. 616(1993)253
Peggins, J. O., see Marino, M. T. 616(1993)338
Perkins, J. R., see Parker, C. E. 616(1993)45
Pianetti, G. A., see Baillet, A. 616(1993)311
Poletto, B., see Muller, N. 616(1993)261
Reymond, P., Amey, M., Souche, A., Lambert, S., Konrat, H., Eap, C. B. and Baumann, P.
Determination of plasma levels of citalopram and its demethylated and deaminated metabolites by gas chromatography and gas chromatography–mass spectrometry 616(1993)221

Romanello, M., Michalsky, M., Stagni, N., Moro, L., Favretto, D. and Traldi, P.
High-performance liquid chromatographic and mass spectrometric identification of phosphocitrate synthesized by human kidney homogenate 616(1993)167
Schaefer, H. G.
Determination of BAY y 3118, a novel 4-quinolone, in biological fluids using high-performance liquid chromatography and photothermal post-column derivatization 616(1993)87
Scholtes, M. M., see Sessink, P. J. M. 616(1993)333
Schramm, T. M., McKinnon, G. E. and Eadie, M. J.
Gas chromatographic assay of vigabatrin enantiomers in plasma 616(1993)39
Sessink, P. J. M., Scholtes, M. M., Anzion, R. B. M. and Bos, R. P.
Determination of cyclophosphamide in urine by gas chromatography–mass spectrometry 616(1993)333
Shida, Y., see Parker, C. E. 616(1993)45
Shimokawa, M., see Kato, Y. 616(1993)67
Souche, A., see Reymond, P. 616(1993)221
Stagni, N., see Romanello, M. 616(1993)167
Steffenak, I., see Hormazabal, V. 616(1993)160
Strein, K., see Neidlein, R. 616(1993)129
Suk Heo, G., see Lee, K.-J. 616(1993)135
Szuna, A. J., Mulligan, T. E., Mico, B. A. and Blain, R. W.
Determination of Ro 23-7637 in dog plasma by multidimensional ion-exchange–reversed-phase high-performance liquid chromatography with ultraviolet detection 616(1993)297
Takashina, H., see Matsuura, K. 616(1993)229
Tanaka, T., see Hayakawa, K. 616(1993)327
Taniguchi, H., see Katayama, M. 616(1993)317
Tassaneeyakul, W., Veronese, M. E., Birkett, D. J. and Miners, J. O.
High-performance liquid chromatographic assay for 4-nitrophenol hydroxylation, a putative cytochrome P-4502E1 activity, in human liver microsomes 616(1993)73
Taverna, M., see Baillet, A. 616(1993)311
Thormann, W., see Wernly, P. 616(1993)305
Tomer, K. B., see Parker, C. E. 616(1993)45
Tracqui, A., Kintz, P. and Mangin, P.
High-performance liquid chromatographic assay with diode-array detection for toxicological screening of zopiclone, zolpidem, suriclone and alpidem in human plasma 616(1993)95
Traldi, P., see Romanello, M. 616(1993)167
Van den Biggelaar-Martea, M., see Vree, T. B. 616(1993)271
Veronese, M. E., see Tassaneeyakul, W. 616(1993)73
Verwey-van Wissen, C. P. W. G. M., see Vree, T. B. 616(1993)271
Vicente, F., see Berrueta, L. A. 616(1993)344
Vijayalakshmi, M. A., see Mandjiny, S. 616(1993)189
Volland, C., see Neidlein, R. 616(1993)129
Vree, T. B., Van den Biggelaar-Martea, M. and Verwey-van Wissen, C. P. W. G. M.
Determination of indomethacin, its metabolites and their glucuronides in human plasma and urine by means of direct gradient high-performance liquid chromatographic analysis. Preliminary pharmacokinetics and effect of probenecid 616(1993)271
Watanabe, T., see Hayakawa, K. 616(1993)327
Watkins, P. J. and Gorrod, J. W.
Determination of isomeric N-oxide metabolites of some substituted 2,4-diaminopyrimidines by reversed-phase ion-pair high-performance liquid chromatography 616(1993)79
Wernly, P., Thormann, W., Bourquin, D. and Brenneisen, R.
Determination of morphine-3-glucuronide in human urine by capillary zone electrophoresis and micellar electrokinetic capillary chromatography 616(1993)305
Winter, C. H., Hoving, E. B. and Muskiet, F. A. J.
Fatty acid composition of human milk triglyceride species. Possible consequences for optimal structures of infant formula triglycerides 616(1993)9
Wright, M. R. and Jamali, F.
Limited extent of stereochemical conversion of chiral non-steroidal anti-inflammatory drugs induced by derivatization methods employing ethyl chloroformate 616(1993)59
Wu, Z., see Ma, Y. 616(1993)31
Yamashita, K., Motohashi, M. and Yashiki, T.
Sensitive high-performance liquid chromatographic determination of EM523, a new erythromycin derivative, in human plasma and urine with ultraviolet detection using column switching 616(1993)144
Yashiki, T., see Yamashita, K. 616(1993)144
Yndestad, M., see Hormazabal, V. 616(1993)160
Yokoyama, T., see Kato, Y. 616(1993)67
Zhu, X. and Desiderio, D. M.
Methionine enkephalin-like immunoreactivity, substance P-like immunoreactivity and β-endorphin-like immunoreactivity *post-mortem* stability in rat pituitary 616(1993)175

Compound Index

N′-3′(Acetyl-4′,5′-dihydro-2′-furanyl-N-(6-methoxy-8-quinolinyl)-1,4-pentanediamine
Simultaneous determination of a new antimalarial agent, CDRI compound 80/53, and its metabolite primaquine in serum by high-performance liquid chromatography 616(1993)155

Aflatoxins
Automated sample clean-up with solid-phase extraction for the determination of aflatoxins in urine by liquid chromatography 616(1993)235

Alpidem
High-performance liquid chromatographic assay with diode-array detection for toxicological screening of zopiclone, zolpidem, suriclone and alpidem in human plasma 616(1993)95

Amfenac sodium
Simultaneous determination of amfenac sodium and its metabolite (7-benzoyl-2-oxindole) in human plasma by high-performance liquid chromatography 616(1993)67

2-Amino-3,8-dimethylimidazo[4,5-*f*]quinoxaline
Quantification of the carcinogens 2-amino-3,8-dimethyl- and 2-amino-3,4,8-trimethylimidazo[4,5-*f*]quinoxaline and 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine in food using a combined assay based on gas chromatography–negative ion mass spectrometry 616(1993)211

2-Amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine
Quantification of the carcinogens 2-amino-3,8-dimethyl- and 2-amino-3,4,8-trimethylimidazo[4,5-*f*]quinoxaline and 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine in food using a combined assay based on gas chromatography–negative ion mass spectrometry 616(1993)211

8-Aminoquinoline antimalarial
High-performance liquid chromatographic method for the determination of a candidate 8-aminoquinoline antimalarial drug (WR 242511) using oxidative electrochemical detection 616(1993)338

2-Amino-3,4,8-trimethylimidazo[4,5-*f*]quinoxaline
Quantification of the carcinogens 2-amino-3,8-dimethyl- and 2-amino-3,4,8-trimethylimidazo[4,5-*f*]quinoxaline and 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine in food using a combined assay based on gas chromatography–negative ion mass spectrometry 616(1993)211

Amitriptyline
Determination of tricyclic antidepressants in human plasma by micellar electrokinetic capillary chromatography 616(1993)135

BAY y 3118
Determination of BAY y 3118, a novel 4-quinolone, in biological fluids using high-performance liquid chromatography and photothermal post-column derivatization 616(1993)87

7-Benzoyl-2-oxindol
Simultaneous determination of amfenac sodium and its metabolite (7-benzoyl-2-oxindole) in human plasma by high-performance liquid chromatography 616(1993)67

Biotinidase
High-recovery protein purification by high-performance gel-permeation chromatography: application to human serum biotinidase 616(1993)327

2-(4-*tert.*-Butylphenoxy)-7-(4-chlorophenyl)heptanoic acid
Conventional and enantioselective determination of a new blood glucose-lowering agent in biological fluids using liquid–liquid extraction and high-performance liquid chromatography 616(1993)129

Carbamazepine
Simultaneous determination of carbamazepine, phenytoin, phenobarbital, primidone and their principal metabolites by high-performance liquid chromatography with photodiode-array detection 616(1993)105

Cephems
Nanoscale packed capillary liquid chromatography–electrospray ionization mass spectrometry: analysis of penicillins and cephems 616(1993)45

Choline
Liquid chromatography with electrochemical detection for quantitation of bound choline liberated by phospholipase D hydrolysis from phospholipids containing choline in rat plasma 616(1993)323

Citalopram
Determination of plasma levels of citalopram and its demethylated and deaminated metabolites by gas chromatography and gas chromatography–mass spectrometry 616(1993)221

Cyclophosphamide
Determination of cyclophosphamide in urine by gas chromatography–mass spectrometry 616(1993)333

Cytochrome P-4502E1
High-performance liquid chromatographic assay for 4-nitrophenol hydroxylation, a putative cytochrome P-4502E1 activity, in human liver microsomes 616(1993)73

De(N-methyl)-N-ethyl-8,9-anhydroerythromycin
Sensitive high-performance liquid chromatographic determination of EM523, a new erythromycin derivative, in human plasma and urine with ultraviolet detection using column switching 616(1993)144

Desipramine
Determination of tricyclic antidepressants in human plasma by micellar electrokinetic capillary chromatography 616(1993)135

Desmethylcitalopram
Determination of plasma levels of citalopram and its demethylated and deaminated metabolites by gas chromatography and gas chromatography–mass spectrometry 616(1993)221

O-Desmethylindomethacin
Determination of indomethacin, its metabolites and their glucuronides in human plasma and urine by means of direct gradient high-performance liquid chromatographic analysis. Preliminary pharmacokinetics and effect of probenecid 616(1993)271

2,4-Diaminopyrimidines
Determination of isomeric N-oxide metabolites of some substituted 2,4-diaminopyrimidines by reversed-phase ion-pair high-performance liquid chromatography 616(1993)79

Diclofenac
High-performance liquid chromatographic determination of diclofenac in human plasma using automated column switching 616(1993)283

Didesmethylcitalopram
Determination of plasma levels of citalopram and its demethylated and deaminated metabolites by gas chromatography and gas chromatography–mass spectrometry 616(1993)221

Doxepin
Determination of tricyclic antidepressants in human plasma by micellar electrokinetic capillary chromatography 616(1993)135

EM523
Sensitive high-performance liquid chromatographic determination of EM523, a new erythromycin derivative, in human plasma and urine with ultraviolet detection using column switching 616(1993)144

***β*-Endorphin**
Methionine enkephalin-like immunoreactivity, substance P-like immunoreactivity and *β*-endorphin-like immunoreactivity *post-mortem* stability in rat pituitary 616(1993)175

Enzymes
New method for guanase activity measurement by high-performance liquid chromatography 616(1993)25

High-performance liquid chromatographic assay for 4-nitrophenol hydroxylation, a putative cytochrome P-4502E1 activity, in human liver microsomes 616(1993)73

High-recovery protein purification by high-performance gel-permeation chromatography: application to human serum biotinidase 616(1993)327

Estrogens
Determination of estrogens in plasma by high-performance liquid chromatography after pre-column derivatization with 2-(4-carboxyphenyl)-5,6-dimethylbenzimidazole 616(1993)317

Etodolac
Limited extent of stereochemical conversion of chiral non-steroidal anti-inflammatory drugs induced by derivatization methods employing ethyl chloroformate 616(1993)59

Fatty acids
Fatty acid composition of human milk triglyceride species. Possible consequences for optimal structures of infant formula triglycerides 616(1993)9

Florfenicol
Simultaneous determination of residues of florfenicol and the metabolite florfenicol amine in fish tissues by high-performance liquid chromatography 616(1993)160

Florfenicol amine
Simultaneous determination of residues of florfenicol and the metabolite florfenicol amine in fish tissues by high-performance liquid chromatography 616(1993)160

Flurbiprofen
Limited extent of stereochemical conversion of chiral non-steroidal anti-inflammatory drugs induced by derivatization methods employing ethyl chloroformate 616(1993)59

Fosfomycin
Fosfomycin determination in serum by capillary zone electrophoresis with indirect ultraviolet detection 616(1993)311

Guanase
New method for guanase activity measurement by high-performance liquid chromatography 616(1993)25

Histidine
Quantitation of adsorption capacity of immunoglobulin G on histidine–aminohexyl Sepharose and determination of affinity constant 616(1993)189

Hydroxymethylmexiletine
High-performance liquid chromatographic method for resolving the enantiomers of mexiletine and two major metabolites isolated from microbial fermentation media 616(1993)253

5-Hydroxymethyluracil
Gas chromatographic–mass spectrometric determination of 5-hydroxymethyluracil in human urine by stable isotope dilution 616(1993)1

***p*-Hydroxymexiletine**
High-performance liquid chromatographic method for resolving the enantiomers of mexiletine and two major metabolites isolated from microbial fermentation media 616(1993)253

Ibuprofen
Limited extent of stereochemical conversion of chiral non-steroidal anti-inflammatory drugs induced by derivatization methods employing ethyl chloroformate 616(1993)59

Imipramine
Determination of tricyclic antidepressants in human plasma by micellar electrokinetic capillary chromatography 616(1993)135

Immunoglobulin G
Quantitation of adsorption capacity of immunoglobulin G on histidine–aminohexyl Sepharose and determination of affinity constant 616(1993)189

Behaviour of human immunoglobulin G subclasses on thiophilic gels: comparison with hydrophobic interaction chromatography 616(1993)197

Indomethacin
Determination of indomethacin, its metabolites and their glucuronides in human plasma and urine by means of direct gradient high-performance liquid chromatographic analysis. Preliminary pharmacokinetics and effect of probenecid 616(1993)271

Ketoprofen
Limited extent of stereochemical conversion of chiral non-steroidal anti-inflammatory drugs induced by derivatization methods employing ethyl chloroformate 616(1993)59

Methimazole
Determination of thyreostatic residues in cattle plasma by high-performance liquid chromatography with ultraviolet detection 616(1993)291

Methionine enkephalin
Methionine enkephalin-like immunoreactivity, substance P-like immunoreactivity and β-endorphin-like immunoreactivity *post-mortem* stability in rat pituitary 616(1993)175

3-Methylindole
High-performance liquid chromatographic method for the determination of 3-methylindole (skatole) and indole in adipose tissue of pigs 616(1993)205

Methylthiouracil
Determination of thyreostatic residues in cattle plasma by high-performance liquid chromatography with ultraviolet detection 616(1993)291

Metoprine
Determination of isomeric N-oxide metabolites of some substituted 2,4-diaminopyrimidines by reversed-phase ion-pair high-performance liquid chromatography 616(1993)79

Mexiletine
High-performance liquid chromatographic method for resolving the enantiomers of mexiletine and two major metabolites isolated from microbial fermentation media 616(1993)253

Morphine-3-glucuronide
Determination of morphine-3-glucuronide in human urine by capillary zone electrophoresis and micellar electrokinetic capillary chromatography 616(1993)305

4-Nitrocatechol
High-performance liquid chromatographic assay for 4-nitrophenol hydroxylation, a putative cytochrome P-4502E1 activity, in human liver microsomes 616(1993)73

4-Nitrophenol
High-performance liquid chromatographic assay for 4-nitrophenol hydroxylation, a putative cytochrome P-4502E1 activity, in human liver microsomes 616(1993)73

Nortriptyline
Determination of tricyclic antidepressants in human plasma by micellar electrokinetic capillary chromatography 616(1993)135

Oxazepam
Analysis of oxazepam in urine using solid-phase extraction and high-performance liquid chromatography with fluorescence detection by post-column derivatization 616(1993)344

P-4502E1 cytochrome
High-performance liquid chromatographic assay for 4-nitrophenol hydroxylation, a putative cytochrome P-4502E1 activity, in human liver microsomes 616(1993)73

Penicillins
Nanoscale packed capillary liquid chromatography–electrospray ionization mass spectrometry: analysis of penicillins and cephems 616(1993)45

Phenobarbital
Simultaneous determination of carbamazepine, phenytoin, phenobarbital, primidone and their principal metabolites by high-performance liquid chromatography with photodiode-array detection 616(1993)105

Phenylthiouracil
Determination of thyreostatic residues in cattle plasma by high-performance liquid chromatography with ultraviolet detection 616(1993)291

Phenytoin
Simultaneous determination of carbamazepine, phenytoin, phenobarbital, primidone and their principal metabolites by high-performance liquid chromatography with photodiode-array detection 616(1993)105

Phosphocitrate
High-performance liquid chromatographic and mass spectrometric identification of phosphocitrate synthesized by human kidney homogenate 616(1993)167

Primaquine
Simultaneous determination of a new antimalarial agent, CDRI compound 80/53, and its metabolite primaquine in serum by high-performance liquid chromatography 616(1993)155

Primidone
Simultaneous determination of carbamazepine, phenytoin, phenobarbital, primidone and their principal metabolites by high-performance liquid chromatography with photodiode-array detection 616(1993)105

Propylthiouracil
Determination of thyreostatic residues in cattle plasma by high-performance liquid chromatography with ultraviolet detection 616(1993)291

Pyrimethamine
Determination of isomeric N-oxide metabolites of some substituted 2,4-diaminopyrimidines by reversed-phase ion-pair high-performance liquid chromatography 616(1993)79

Quinine
Column liquid chromatographic analysis of quinine in human plasma, saliva and urine 616(1993)151

4-Quinolone
Determination of BAY y 3118, a novel 4-quinolone, in biological fluids using high-performance liquid chromatography and photothermal post-column derivatization 616(1993)87

Retinol
Fast minimicroassay of serum retinol (vitamin A) by capillary zone electrophoresis with laser-excited fluoresence detection 616(1993)31

Retinol-binding protein
Fast minimicroassay of serum retinol (vitamin A) by capillary zone electrophoresis with laser-excited fluoresence detection 616(1993)31

Ro 23-7637
Determination of Ro 23-7637 in dog plasma by multidimensional ion-exchange–reversed-phase high-performance liquid chromatography with ultraviolet detection 616(1993)297

Skatole
High-performance liquid chromatographic method for the determination of 3-methylindole (skatole) and indole in adipose tissue of pigs 616(1993)205

Steroids
Determination of estrogens in plasma by high-performance liquid chromatography after pre-column derivatization with 2-(4-carboxyphenyl)-5,6-dimethylbenzimidazole 616(1993)317

Substance P
Methionine enkephalin-like immunoreactivity, substance P-like immunoreactivity and β-endorphin-like immunoreactivity *post-mortem* stability in rat pituitary 616(1993)175

Suriclone
High-performance liquid chromatographic assay with diode-array detection for toxicological screening of zopiclone, zolpidem, suriclone and alpidem in human plasma 616(1993)95

Tamoxifen
High-performance liquid chromatographic analysis of tamoxifen, toremifene and their major human metabolites 616(1993)117

Tenoxicam
Determination of tenoxicam in plasma by high-performance liquid chromatography 616(1993)349

Thiouracil
Determination of thyreostatic residues in cattle plasma by high-performance liquid chromatography with ultraviolet detection 616(1993)291

Tiaprofenic acid
Direct high-performance liquid chromatographic resolution of the enantiomers of tiaprofenic acid using immobilized human serum albumin 616(1993)261

Tiopronin
Gas chromatographic–mass spectrometric determination of tiopronin in human blood using acrylic acid esters as a derivatization reagent for the thiol group 616(1993)229

Toremifene
High-performance liquid chromatographic analysis of tamoxifen, toremifene and their major human metabolites 616(1993)117

Tricyclic antidepressants
Determination of tricyclic antidepressants in human plasma by micellar electrokinetic capillary chromatography 616(1993)135

Triglycerides
Fatty acid composition of human milk triglyceride species. Possible consequences for optimal structures of infant formula triglycerides 616(1993)9

Trimethoprim
Determination of isomeric N-oxide metabolites of some substituted 2,4-diaminopyrimidines by reversed-phase ion-pair high-performance liquid chromatography 616(1993)79

Determination of trimethoprim in bovine serum by high-performance liquid chromatography with confirmation by thermospray liquid chromatography–mass spectrometry 616(1993)243

Trimipramine
Determination of tricyclic antidepressants in human plasma by micellar electrokinetic capillary chromatography 616(1993)135

Vigabatrin
Gas chromatographic assay of vigabatrin enantiomers in plasma 616(1993)39

Vitamin A
Fast minimicroassay of serum retinol (vitamin A) by capillary zone electrophoresis with laser-excited fluoresence detection 616(1993)31

WR 245511
High-performance liquid chromatographic method for the determination of a candidate 8-aminoquinoline antimalarial drug (WR 242511) using oxidative electrochemical detection
616(1993)338

Zolpidem
High-performance liquid chromatographic assay with diode-array detection for toxicological screening of zopiclone, zolpidem, suriclone and alpidem in human plasma
616(1993)95

Zopiclone
High-performance liquid chromatographic assay with diode-array detection for toxicological screening of zopiclone, zolpidem, suriclone and alpidem in human plasma
616(1993)95